

## 2024 Hiroshima Open



Oil Pattern Distance **Forward Oil Total Tank Configuration** 

43 22.005 mL N/A **Reverse Brush Drop Reverse Oil Total Tank A Conditioner** 

35 10.98 mL **PRODIGY**  Oil Per Board **Volume Oil Total Tank B Conditioner** 

45 ul 32.985 mL **KEGEL** 

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	1	14	Α	37	0.0	0.0	0.0	1665
2	3L	5R	3	14	Α	99	0.0	5.9	5.9	4455
3	2L	2R	1	14	Α	37	5.9	7.8	1.9	1665
4	5L	6R	3	14	Α	90	7.8	13.7	5.9	4050
5	2L	2R	1	14	Α	37	13.7	15.6	1.9	1665
6	8L	7R	3	18	Α	78	15.6	23.2	7.6	3510
7	9L	9R	3	18	Α	69	23.2	30.8	7.6	3105
8	10L	10R	2	22	Α	42	30.8	37.0	6.2	1890
9	2L	2R	0	22	Α	0	37.0	43.0	6.0	0

	START	STOP	LOADS	SPEED	TANK	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	26	Α	0	43.0	30.0	-13.0	0
2	11L	11R	2	18	Α	38	30.0	24.9	-5.1	1710
3	10L	10R	3	18	Α	63	24.9	17.3	-7.6	2835
4	9L	9R	3	18	Α	69	17.3	9.7	-7.6	3105
5	2L	2R	2	14	Α	74	9.7	5.8	-3.9	3330
6	2L	2R	0	14	Α	0	5.8	0.0	-5.8	0

Cleaner Ratio Main Mix Cleaner Ratio Back End Mix Cleaner Ratio Back End Distance Buffer RPM: 4 = 700 | 3 = 500 | 2 = 200 | 1 = 100

NA NA NA Forward Reverse Combined



			<u> </u>			
Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside:Middle	Middle:Middle	Inside:Middle	Mlddle: Inside	Middle:Middle	Middle:Outside
Track Zone Ratio	2.76	1.19	1	1	1.19	3.14



